




NOVA 16S - 150W RF




**AEON**  
Laser USA

# NOVA 16S REDLINE CO2 Laser Cutter & Engraver


features:



**5G ACCELERATION**



**HIWIN LINEAR RAILS**




**LIGHTWEIGHT LASER HEAD**




**RIGID FRAME**




**ALL-IN-ONE DESIGN**



**AEROSPACE ALUMINUM GANTRY**



**HD LID CAMERA**




**INTEGRATED AUTOFOCUS**



**MATERIAL PASS THROUGH**

The NOVA 16S with a 150W CO<sub>2</sub> RF metal tube is a powerful large-format production system designed for businesses that need high speeds, reliability, and versatility. With its spacious work area and high-powered RF tube, the NOVA 16S excels at cutting and engraving a wide range of materials, making it ideal for high-throughput production and large-scale projects.

---




**SUPER BRIGHT WORK AREA**




**RBG STATUS LIGHT**




**INTUITIVE LCD DISPLAY**



**SAFE-GUARDED OPTICS**



**SAFE-GUARDED LASER HEAD**



**BUILT-IN COMPRESSED AIR**



**BULLSEYE LEVELING GAUGE**



**TOOLLESS MAINTENANCE  
MIRRORS**



**TOOLLESS MAINTENANCE  
LENS CARTRIDGES**

NOVA 16S

# Measurements



Machine Dimensions  
W 82-11/16" x D 59-1/16" x H 43-1/2"

Shipping Dimensions  
W 85-7/8" x D 62-9/16" x H 48-1/4"

Z-Axis Max Bed Travel  
7-7/8"

Machine Weight  
1574 lbs.

Working Area  
63" x 39-3/8"

Machine Weight + Crate  
1659 lbs.

## NOVA 16S - 150W RF

LASER SOURCE	
Metal RF CO <sub>2</sub>	150W CO <sub>2</sub> Metal RF (Davi)
Cooling Method Metal RF CO <sub>2</sub>	Water

MOTION & PRECISION	
Motors	AC Servos
Guide Rails	Hiwin Linear Rails
Max Acceleration	8G
Max Speed	4200 mm/s
Minimum Font Size	1.0 x 1.0mm
Positioning Accuracy Max	<=0.01mm
Scanning Precision Max	2000 DPI
Red Dot Positioning	✓
Autofocus	Integrated
Wireless Remote Control	Included

COOLING, AIR ASSIST & VENTILATION	
Water Chiller	Built-in S&A 5200 Fan Cooled Chiller
Fume Exhaust Fan	Built-in 500W, 6" Dia. Centrifugal Fan
Air Assist	Integrated
Compressed Air	Built-in 13 Gallon Tank
Smart Air Solenoid Valve	✓

WORK TABLE	
Downdraft Ventilation	✓
Blade Table	✓
Honeycomb Table	✓
Material Collection Tray	✓
Material Pass Through Door	1.5" Height
Table Lifting Capacity	250 lbs

POWER REQUIREMENTS	
Voltage/Frequency	240v/60Hz
Amperage	30A Dedicated Circuit
Rated Power Draw	3,200W

**NOVA 16S - 150W RF**

<b>CONTROL &amp; SOFTWARE</b>	
Control Panel	5" Keypad & LCD display
Memory Capacity	1 GB
Lightburn Software	Included (\$199 Value)
Wifi Data Transfer	Integrated
Operating System	Windows & Mac
Supported File Formats	AI/PDF/DXF/PLT/SVG/DXF/SC/BMP/JPEG/JPG/PNG/GIF/ TIFF/TIF/TGA

<b>OPTICS</b>	
Toolless Mirror Change	✓
Magnetic Lens Cartridge	✓
Isolated Optics	✓
2" Lens	Optional
2.5" Lens	Standard
4" Lens	Optional
Mirror Sizes	φ 25mm (x3)
Beam Combiner	φ 25mm
Window	φ 20mm

<b>SAFETY</b>	
Safety Level	Class 1
Smart Monitoring	✓
Optics Temperature Alarm	✓
Diagnostic Log	✓
LED Status Light	✓
Lid Interlock	✓
Side Panel Interlocks Water	✓
Flow Protection Water	✓
Temperature Alarm	✓

<b>ADD-ONS</b>	
Rotary	Optional
Fume Extractor	Optional

<b>WARRANTY &amp; SUPPORT</b>	
2 Year	Included ( <a href="http://www.aeonlaser.us/warranty">www.aeonlaser.us/warranty</a> )
4 Year	Optional



📍 205 COASTAL LANE, UNIT 1105, WEST MELBOURNE, FL 32904 📞 321-260-2325

[WWW.AEONLASER.US](http://WWW.AEONLASER.US)